PRODUCT TECHNICAL DATA FOR STATIONARY AIR COMPRESSOR (TO BE COMPLETED BY BIDDER)

I.	Manufacturer:		Model	L:				
II.		ation information es/No Wiring diag			No foundation	on		
III.	Are all componer	tion (package type ts fully enclosed?	Yes/No	omponents)	ist those th	 nat		
	· · · · · · · · · · · · · · · · · · ·	ents of the air co	· ·	tested and	shipped by	a		
IV.	Compressor: Model no type as defined under CLASSIFICATION							
	No. of compressi water)	on stages	Cod	olant system	(oil, air,			
	For reciprocating	ng type only: Hori Cros	zontal or vertishead design	calYe	s/No			
	For screw type o	rotors:Flood lubric						
	Oil coolerOil separator	Yes/No. If ye	es, air cooled o	or water coo	led	·		
	Rated capacity:	Full loadrequired.	cfm @	psig	rpm	НР		
		50% full loadrequired.	cfm @	psig	rpm	НР		
		No loadrequired.	cfm @	psig	rpm	НР		
	Are all wearing	parts replaceable?	Yes/	'No.				
	Type main bearir	ıgs:						
	Is oil free air oil is removed f	delivery provided? From the discharged	Yes/No	o. If not,	what percent	of		
		Yes/No. V-				s/No.		

	Maximum no	ise level		dBA @_		ft. (Wit	th unit as s	specified)
	Type of so	und insulat	cion mat	terial pro	ovided?		_Thickness_	
	<u>Air Filter</u>	: Dry type	e, repla	aceable el	ement	Yes/	'No.	
	Oil Filter	: Full flo	ow oil i	filter	Yes	/No.		
	Positive l	ubrication	during	all opera	ating cond	itions	Yes/N	10.
	How is thi	s accomplis	shed?					
7.7	Air Dogoiu				 			
٧.	Air Receiv		2015	,		/25 01		6.
							2	_cu. ft.
	Capacity pressure	gal psi		sign press	sure	psi.	Test	
	Are the fo	llowing inc	cluded?	Safety v Pressure	valve e gauge	Yes	s/No s/No	
	Drain valv	e	Yes/No	Air ou No. of	itlet valv	e(s)	Yes/No)
	Size(s):							
VI.	Aftercooler:							
	Туре				Desig	n pressure	<u> </u>	psi
					_(water/ai entering	r). Aften	ccooler will ater of 70°	cool the
	Are the fo	llowing fur	nished	?				
		separator gauge			ture trap_		_Yes/No.	
	Flange c	onnections_ let valve		Yes/	'No. For	water cool	ed aftercoo	oler:
VII.	Motor:							
	Make:				Model:_			
	Type:				Sliding	base	Yes/No _	НР
		vol	.ts	r	hase	c <u>7</u>	cles	rpm
VIII.	<pre>Starter:</pre>							
	Make:				Model:_			
	Type:				Start-S	top buttor	ns	Yes/No
		vol	.ts		hase	c	cles	

	the following furnished?					
Constant speed control	Yes/No.					
Dual control (which includes	constant speed control)	Yes/No.				
Is timed control provided to period?Yes/No.	stop compressor after 10 minu	ites unloaded				
=	tically load and unload the cost settings respectively?	=				
Loadless starting	Yes/No.					
Oil sight glass	Yes/No.					
Automatic low oil pressure s	hut downYes/No.					
Automatic high discharge air temperature shut downYes/No.						
HourmeterYes/No.						
Operating instructions, part furnished? Yes/	s lists, and maintenance manua	ils				
Location of parts and service	e facilities in North Carolina	ı:				
List two users of the model	offered nearest Raleigh, North	Carolina				
List two users of the model NAME	offered nearest Raleigh, North	Carolina TELEPHONE NO				
	LOCATION					
	LOCATION Prepared by:	TELEPHONE NO				
	LOCATION Prepared by:	TELEPHONE NO				
	LOCATION Prepared by: Title:	TELEPHONE NO				